



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion - UHPLC HILIC Column in SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
110.022.0110	iHILIC®-Fusion,HILIC Column,SS,20x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	880
110.032.0110	iHILIC®-Fusion,HILIC Column,SS,30x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	30	2.1	1.8	100	890
110.052.0110	iHILIC®-Fusion,HILIC Column,SS,50x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	50	2.1	1.8	100	980
110.102.0110	iHILIC®-Fusion,HILIC Column,SS,100x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	100	2.1	1.8	100	1060
110.152.0110	iHILIC®-Fusion,HILIC Column,SS,150x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	150	2.1	1.8	100	1240
110.053.0110	iHILIC®-Fusion,HILIC Column,SS,50x3mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	50	3	1.8	100	1000
110.103.0110	iHILIC®-Fusion,HILIC Column,SS,100x3mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	100	3	1.8	100	1180
110.153.0110	iHILIC®-Fusion,HILIC Column,SS,150x3mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	150	3	1.8	100	1380
111.122.0110	iHILIC®-Fusion,Guard Column,SS,20x2.1mm,1.8µm,100Å,1pk	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	530
111.222.0110	iHILIC®-Fusion,Guard Column,SS,20x2.1mm,1.8µm,100Å,2pk+coupler*	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	1240

iHILIC®-Fusion - UHPLC HILIC Column in PEEK-SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
140.051.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	50	1	1.8	100	1420
140.101.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	100	1	1.8	100	1530
140.151.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	150	1	1.8	100	1690
140.052.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x2.1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	50	2.1	1.8	100	1560
140.102.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x2.1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	100	2.1	1.8	100	1660
140.152.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x2.1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	150	2.1	1.8	100	1760

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion - HPLC HILIC Column in PEEK **										
P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
110.022.0310	iHILIC®-Fusion,HILIC Column,PEEK,20x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	3.5	100	780
110.032.0310	iHILIC®-Fusion,HILIC Column,PEEK,30x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	3.5	100	820
110.052.0310	iHILIC®-Fusion,HILIC Column,PEEK,50x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	3.5	100	880
110.102.0310	iHILIC®-Fusion,HILIC Column,PEEK,100x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	3.5	100	930
110.152.0310	iHILIC®-Fusion,HILIC Column,PEEK,150x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	3.5	100	1180
110.054.0310	iHILIC®-Fusion,HILIC Column,PEEK,50x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	3.5	100	950
110.104.0310	iHILIC®-Fusion,HILIC Column,PEEK,100x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	3.5	100	1060
110.154.0310	iHILIC®-Fusion,HILIC Column,PEEK,150x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	3.5	100	1330
110.254.0310	iHILIC®-Fusion,HILIC Column,PEEK,250x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	3.5	100	1660
110.022.0510	iHILIC®-Fusion,HILIC Column,PEEK,20x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	770
110.032.0510	iHILIC®-Fusion,HILIC Column,PEEK,30x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	100	800
110.052.0510	iHILIC®-Fusion,HILIC Column,PEEK,50x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	100	820
110.102.0510	iHILIC®-Fusion,HILIC Column,PEEK,100x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	100	910
110.152.0510	iHILIC®-Fusion,HILIC Column,PEEK,150x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	100	1170
110.252.0510	iHILIC®-Fusion,HILIC Column,PEEK,250x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	250	2.1	5	100	1370
110.054.0510	iHILIC®-Fusion,HILIC Column,PEEK,50x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	100	930
110.104.0510	iHILIC®-Fusion,HILIC Column,PEEK,100x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	100	1020
110.154.0510	iHILIC®-Fusion,HILIC Column,PEEK,150x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	100	1260
110.254.0510	iHILIC®-Fusion,HILIC Column,PEEK,250x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	100	1550
111.122.0510	iHILIC®-Fusion,Guard Column,PEEK,20x2.1mm,5µm,100Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	460
111.322.0510	iHILIC®-Fusion,Guard Column,PEEK,20x2.1mm,5µm,100Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	1220

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion - HPLC HILIC Column in SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
114.022.0310	iHILIC®-Fusion,HILIC Column,SS,20x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	20	2.1	3.5	100	840
114.032.0310	iHILIC®-Fusion,HILIC Column,SS,30x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	30	2.1	3.5	100	840
114.052.0310	iHILIC®-Fusion,HILIC Column,SS,50x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	2.1	3.5	100	910
114.102.0310	iHILIC®-Fusion,HILIC Column,SS,100x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	2.1	3.5	100	980
114.152.0310	iHILIC®-Fusion,HILIC Column,SS,150x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	2.1	3.5	100	1150
114.252.0310	iHILIC®-Fusion,HILIC Column,SS,250x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	2.1	3.5	100	1470
114.053.0310	iHILIC®-Fusion,HILIC Column,SS,50x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	3	3.5	100	910
114.103.0310	iHILIC®-Fusion,HILIC Column,SS,100x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	3	3.5	100	1000
114.153.0310	iHILIC®-Fusion,HILIC Column,SS,150x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	3	3.5	100	1200
114.253.0310	iHILIC®-Fusion,HILIC Column,SS,250x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	3	3.5	100	1510
114.054.0310	iHILIC®-Fusion,HILIC Column,SS,50x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	4.6	3.5	100	960
114.104.0310	iHILIC®-Fusion,HILIC Column,SS,100x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	4.6	3.5	100	1090
114.154.0310	iHILIC®-Fusion,HILIC Column,SS,150x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	4.6	3.5	100	1400
114.254.0310	iHILIC®-Fusion,HILIC Column,SS,250x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	4.6	3.5	100	1820
114.022.0510	iHILIC®-Fusion,HILIC Column,SS,20x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	20	2.1	5	100	840
114.032.0510	iHILIC®-Fusion,HILIC Column,SS,30x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	30	2.1	5	100	840
114.052.0510	iHILIC®-Fusion,HILIC Column,SS,50x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	2.1	5	100	890
114.102.0510	iHILIC®-Fusion,HILIC Column,SS,100x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	2.1	5	100	980
114.152.0510	iHILIC®-Fusion,HILIC Column,SS,150x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	2.1	5	100	1090
114.252.0510	iHILIC®-Fusion,HILIC Column,SS,250x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	2.1	5	100	1420
114.053.0510	iHILIC®-Fusion,HILIC Column,SS,50x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	3	5	100	870
114.103.0510	iHILIC®-Fusion,HILIC Column,SS,100x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	3	5	100	980
114.153.0510	iHILIC®-Fusion,HILIC Column,SS,150x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	3	5	100	1150
114.253.0510	iHILIC®-Fusion,HILIC Column,SS,250x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	3	5	100	1440
114.054.0510	iHILIC®-Fusion,HILIC Column,SS,50x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	4.6	5	100	930
114.104.0510	iHILIC®-Fusion,HILIC Column,SS,100x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	4.6	5	100	1040
114.154.0510	iHILIC®-Fusion,HILIC Column,SS,150x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	4.6	5	100	1310
114.254.0510	iHILIC®-Fusion,HILIC Column,SS,250x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	4.6	5	100	1710

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion - HPLC HILIC Column in PEEK-SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
140.051.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	1	3.5	100	1360
140.101.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	1	3.5	100	1430
140.151.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	1	3.5	100	1520
140.052.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	2.1	3.5	100	1490
140.102.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	2.1	3.5	100	1540
140.152.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	2.1	3.5	100	1630
140.252.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,250x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	250	2.1	3.5	100	1780
140.054.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	4.6	3.5	100	1520
140.104.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	4.6	3.5	100	1650
140.154.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	4.6	3.5	100	1760
140.254.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,250x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	250	4.6	3.5	100	2000

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion(+)-UHPLC HILIC Column in SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
100.022.0110	iHILIC®-Fusion(+),HILIC Column,SS,20x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	880
100.032.0110	iHILIC®-Fusion(+),HILIC Column,SS,30x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	30	2.1	1.8	100	890
100.052.0110	iHILIC®-Fusion(+),HILIC Column,SS,50x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	50	2.1	1.8	100	980
100.102.0110	iHILIC®-Fusion(+),HILIC Column,SS,100x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	100	2.1	1.8	100	1060
100.152.0110	iHILIC®-Fusion(+),HILIC Column,SS,150x2.1mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	150	2.1	1.8	100	1240
100.053.0110	iHILIC®-Fusion(+),HILIC Column,SS,50x3mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	50	3	1.8	100	1000
100.103.0110	iHILIC®-Fusion(+),HILIC Column,SS,100x3mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	100	3	1.8	100	1180
100.153.0110	iHILIC®-Fusion(+),HILIC Column,SS,150x3mm,1.8µm,100Å	HILIC	UHPLC	SS	Parker	150	3	1.8	100	1380
101.122.0110	iHILIC®-Fusion(+),Guard Column,SS,20x2.1mm,1.8µm,100Å,1pk	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	530
101.222.0110	iHILIC®-Fusion(+),Guard Column,SS,20x2.1mm,1.8µm,100Å,2pk+coupler*	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	1240

iHILIC®-Fusion(+)-UHPLC HILIC Column in PEEK-SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
150.051.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	50	1	1.8	100	1420
150.101.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	100	1	1.8	100	1530
150.151.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	150	1	1.8	100	1690
150.052.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x2.1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	50	2.1	1.8	100	1560
150.102.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x2.1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	100	2.1	1.8	100	1660
150.152.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x2.1mm,1.8µm,100Å	HILIC	UHPLC	PEEK-SS	Parker	150	2.1	1.8	100	1760

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion(+)- HPLC HILIC Column in PEEK **											
P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price	
100.022.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,20x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	3.5	100	780	
100.032.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,30x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	3.5	100	820	
100.052.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,50x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	3.5	100	880	
100.102.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,100x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	3.5	100	930	
100.152.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,150x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	3.5	100	1180	
100.054.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,50x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	3.5	100	950	
100.104.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,100x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	3.5	100	1060	
100.154.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,150x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	3.5	100	1330	
100.254.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,250x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	3.5	100	1660	
100.022.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,20x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	770	
100.032.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,30x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	100	800	
100.052.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,50x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	100	820	
100.102.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,100x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	100	910	
100.152.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,150x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	100	1170	
100.252.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,250x2.1mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	250	2.1	5	100	1370	
100.054.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,50x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	100	930	
100.104.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,100x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	100	10220	
100.154.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,150x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	100	1260	
100.254.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,250x4.6mm,5µm,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	100	1550	
101.122.0510	iHILIC®-Fusion(+),Guard Column,PEEK,20x2.1mm,5µm,100Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	460	
101.322.0510	iHILIC®-Fusion(+),Guard Column,PEEK,20x2.1mm,5µm,100Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	1220	

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion(+) - HPLC HILIC Column in SS **										
P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
104.022.0310	iHILIC®-Fusion(+),HILIC Column,SS,20x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	20	2.1	3.5	100	840
104.032.0310	iHILIC®-Fusion(+),HILIC Column,SS,30x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	30	2.1	3.5	100	840
104.052.0310	iHILIC®-Fusion(+),HILIC Column,SS,50x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	2.1	3.5	100	910
104.102.0310	iHILIC®-Fusion(+),HILIC Column,SS,100x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	2.1	3.5	100	980
104.152.0310	iHILIC®-Fusion(+),HILIC Column,SS,150x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	2.1	3.5	100	1150
104.252.0310	iHILIC®-Fusion(+),HILIC Column,SS,250x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	2.1	3.5	100	1470
104.053.0310	iHILIC®-Fusion(+),HILIC Column,SS,50x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	3	3.5	100	910
104.103.0310	iHILIC®-Fusion(+),HILIC Column,SS,100x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	3	3.5	100	1000
104.153.0310	iHILIC®-Fusion(+),HILIC Column,SS,150x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	3	3.5	100	1200
104.253.0310	iHILIC®-Fusion(+),HILIC Column,SS,250x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	3	3.5	100	1510
104.054.0310	iHILIC®-Fusion(+),HILIC Column,SS,50x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	4.6	3.5	100	970
104.104.0310	iHILIC®-Fusion(+),HILIC Column,SS,100x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	4.6	3.5	100	1090
104.154.0310	iHILIC®-Fusion(+),HILIC Column,SS,150x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	4.6	3.5	100	1400
104.254.0310	iHILIC®-Fusion(+),HILIC Column,SS,250x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	4.6	3.5	100	1820
104.022.0510	iHILIC®-Fusion(+),HILIC Column,SS,20x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	20	2.1	5	100	840
104.032.0510	iHILIC®-Fusion(+),HILIC Column,SS,30x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	30	2.1	5	100	840
104.052.0510	iHILIC®-Fusion(+),HILIC Column,SS,50x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	2.1	5	100	990
104.102.0510	iHILIC®-Fusion(+),HILIC Column,SS,100x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	2.1	5	100	980
104.152.0510	iHILIC®-Fusion(+),HILIC Column,SS,150x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	2.1	5	100	1090
104.252.0510	iHILIC®-Fusion(+),HILIC Column,SS,250x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	2.1	5	100	1420
104.053.0510	iHILIC®-Fusion(+),HILIC Column,SS,50x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	3	5	100	880
104.103.0510	iHILIC®-Fusion(+),HILIC Column,SS,100x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	3	5	100	980
104.153.0510	iHILIC®-Fusion(+),HILIC Column,SS,150x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	3	5	100	1150
104.253.0510	iHILIC®-Fusion(+),HILIC Column,SS,250x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	3	5	100	1440
104.054.0510	iHILIC®-Fusion(+),HILIC Column,SS,50x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	4.6	5	100	930
104.104.0510	iHILIC®-Fusion(+),HILIC Column,SS,100x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	4.6	5	100	1040
104.154.0510	iHILIC®-Fusion(+),HILIC Column,SS,150x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	4.6	5	100	1310
104.254.0510	iHILIC®-Fusion(+),HILIC Column,SS,250x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	4.6	5	100	1710

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion(+)- HPLC HILIC Column in PEEK-SS **											
P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price	
150.051.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	1	3.5	100	1370	
150.101.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	1	3.5	100	1440	
150.151.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	1	3.5	100	1550	
150.052.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	2.1	3.5	100	1130	
150.102.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	2.1	3.5	100	1240	
150.152.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	2.1	3.5	100	1400	
150.252.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,250x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	250	2.1	3.5	100	1670	
150.054.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	4.6	3.5	100	1530	
150.104.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	4.6	3.5	100	1660	
150.154.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	4.6	3.5	100	1780	
150.254.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,250x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	250	4.6	3.5	100	2050	

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-Fusion(P) - HPLC HILIC Column in PEEK **										
P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
130.022.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,20x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	890
130.032.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,30x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	200	950
130.052.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,50x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	200	980
130.102.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,100x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	200	1090
130.152.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,150x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	200	1270
130.252.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,250x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	250	2.1	5	200	1510
130.054.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,50x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	200	1090
130.104.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,100x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	200	1240
130.154.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,150x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	200	1490
130.254.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,250x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	200	1870
131.122.0520	iHILIC®-Fusion(P),Guard Column,PEEK,20x2.1mm,5µm,200Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	490
131.322.0520	iHILIC®-Fusion(P),Guard Column,PEEK,20x2.1mm,5µm,200Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	1330
iHILIC®-Fusion(P) - HPLC HILIC Column in SS **										
P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
134.053.0520	iHILIC®-Fusion(P),HILIC Column,SS,50x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	50	3	5	200	1040
134.103.0520	iHILIC®-Fusion(P),HILIC Column,SS,100x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	100	3	5	200	1200
134.153.0520	iHILIC®-Fusion(P),HILIC Column,SS,150x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	150	3	5	200	1420
iHILIC®-Fusion(P) - HPLC HILIC Column in PEEK-SS **										
P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
170.051.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,50x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	1	5	200	1380
170.101.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,100x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	1	5	200	1470
170.151.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,150x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	1	5	200	1620
170.052.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,50x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	2.1	5	200	1260
170.102.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,100x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	2.1	5	200	1380
170.152.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,150x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	2.1	5	200	1530
170.252.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,250x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	250	2.1	5	200	1760

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iHILIC®-(P) Classic - HPLC HILIC Column in PEEK **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
160.022.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,20x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	890
160.032.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,30x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	200	950
160.052.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,50x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	200	980
160.102.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,100x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	200	1090
160.152.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,150x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	200	1270
160.252.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,250x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	250	2.1	5	200	1510
160.054.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,50x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	200	1090
160.104.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,100x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	200	1240
160.154.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,150x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	200	1490
160.254.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,250x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	200	1870
161.122.0520	iHILIC®-(P) Classic,Guard Column,PEEK,20x2.1mm,5µm,200Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	490
161.322.0520	iHILIC®-(P) Classic,Guard Column,PEEK,20x2.1mm,5µm,200Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	1330

iHILIC®-(P) Classic - HPLC HILIC Column in SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
164.053.0520	iHILIC®-(P) Classic,HILIC Column,SS,50x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	50	3	5	200	1040
164.103.0520	iHILIC®-(P) Classic,HILIC Column,SS,100x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	100	3	5	200	1200
164.153.0520	iHILIC®-(P) Classic,HILIC Column,SS,150x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	150	3	5	200	1420

iHILIC®-(P) Classic - HPLC HILIC Column in PEEK-SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	Price
180.051.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,50x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	1	5	200	1380
180.101.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,100x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	1	5	200	1470
180.151.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,150x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	1	5	200	1620
180.052.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,50x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	2.1	5	200	1260
180.102.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,100x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	2.1	5	200	1380
180.152.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,150x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	2.1	5	200	1530
180.252.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,250x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	250	2.1	5	200	1760

* Including one HPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



PolyLC Inc. has teamed up with HILICON AB to offer an even more robust product line of HILIC columns by distributing all iHILIC® products throughout the United States

iSPE®-HILIC - SPE Cartridge and 96-well Plate for HILIC **

P/N	Product Name	Phase	Type	Units/Box	Hardware	Size (mL)	Media (mg)	Dp(µm)	Price
200.001.0025	iSPE®-HILIC SPE Cartridge,1mL,25mg,50µm particle	HILIC	SPE	100	PE	1	25	50	590
200.001.0050	iSPE®-HILIC SPE Cartridge,1mL,50mg,50µm particle	HILIC	SPE	100	PE	1	50	50	590
200.001.0100	iSPE®-HILIC SPE Cartridge,1mL,100mg,50µm particle	HILIC	SPE	100	PE	1	100	50	700
200.003.0100	iSPE®-HILIC SPE Cartridge,3mL,100mg,50µm particle	HILIC	SPE	50	PE	3	100	50	360
200.003.0200	iSPE®-HILIC SPE Cartridge,3mL,200mg,50µm particle	HILIC	SPE	50	PE	3	200	50	480
200.003.0500	iSPE®-HILIC SPE Cartridge,3mL,500mg,50µm particle	HILIC	SPE	50	PE	3	500	50	780
200.006.0500	iSPE®-HILIC SPE Cartridge,6mL,500mg,50µm particle	HILIC	SPE	25	PE	6	500	50	460
200.006.1000	iSPE®-HILIC SPE Cartridge,6mL,1 g,50µm particle	HILIC	SPE	25	PE	6	1000	50	740
200.006.2000	iSPE®-HILIC SPE Cartridge,6mL,2 g,50µm particle	HILIC	SPE	25	PE	6	2000	50	1300
200.096.0025	iSPE®-HILIC SPE Cartridge,96-well,25mg,50µm particle	HILIC	SPE	1	PE	1x96	25x96	50	560
200.096.0050	iSPE®-HILIC SPE Cartridge,96-well,50mg,50µm particle	HILIC	SPE	1	PE	1x96	50x96	50	600
200.096.0100	iSPE®-HILIC SPE Cartridge,96-well,100mg,50µm particle	HILIC	SPE	1	PE	1x96	100x96	50	700
200.096.0200	iSPE®-HILIC SPE Cartridge,96-well,200mg,50µm particle	HILIC	SPE	1	PE	1x96	200x96	50	930

* HS Code: 9027.90.8950, Parts and Accessories for Chromatography

PE - Polyethylene

** Country of Origin: Sweden