


iHILIC®-(P) Classic



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

Charge Modulated Diol HILIC columns

- Polymer based, 5 µm
- Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
- Stable at basic pH with range pH 1-10
- Ultra-low column bleeding

iHILIC®-(P) Classic - HPLC HILIC Column in PEEK

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	2026 Price (USD)
160.022.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,20x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	890
160.032.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,30x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	200	950
160.052.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,50x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	200	980
160.102.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,100x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	200	1090
160.152.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,150x2.1mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	200	1310
160.054.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,50x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	200	1130
160.104.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,100x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	200	1260
160.154.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,150x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	200	1510
160.254.0520	iHILIC®-(P) Classic,HILIC Column,PEEK,250x4.6mm,5µm,200Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	200	1880
161.122.0520	iHILIC®-(P) Classic,Guard Column,PEEK,20x2.1mm,5µm,200Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	490
161.322.0520	iHILIC®-(P) Classic,Guard Column,PEEK,20x2.1mm,5µm,200Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	1330

iHILIC®-(P) Classic - HPLC HILIC Column in SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	2026 Price (USD)
164.053.0520	iHILIC®-(P) Classic,HILIC Column,SS,50x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	50	3	5	200	1040
164.103.0520	iHILIC®-(P) Classic,HILIC Column,SS,100x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	100	3	5	200	1200
164.153.0520	iHILIC®-(P) Classic,HILIC Column,SS,150x3mm,5µm,200Å	HILIC	HPLC	SS	Parker	150	3	5	200	1420

iHILIC®-(P) Classic - HPLC HILIC Column in PEEK-SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	2026 Price (USD)
180.051.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,50x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	1	5	200	1380
180.101.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,100x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	1	5	200	1470
180.151.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,150x1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	1	5	200	1620
180.052.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,50x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	2.1	5	200	1260
180.102.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,100x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	2.1	5	200	1380
180.152.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,150x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	2.1	5	200	1530
180.252.0520	iHILIC®-(P) Classic,HILIC Column,PEEK-SS,250x2.1mm,5µm,200Å	HILIC	HPLC	PEEK-SS	Parker	250	2.1	5	200	1760

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware


PEEK-SS - PEEK-lined stainless steel column hardware



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

iHILIC®-Fusion UHPLC



Charge Modulated Hydroxyethyl Amide HILIC columns

- UHPLC and HPLC
- Silica based, 1.8, 3.5, and 5 μm
- Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
- High efficiency and ultra-low column bleeding

iHILIC®-Fusion - UHPLC HILIC Column in SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(\AA)	2026 Price (USD)
110.022.0110	iHILIC®-Fusion,HILIC Column,SS,20x2.1mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	880
110.032.0110	iHILIC®-Fusion,HILIC Column,SS,30x2.1mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	30	2.1	1.8	100	890
110.052.0110	iHILIC®-Fusion,HILIC Column,SS,50x2.1mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	50	2.1	1.8	100	980
110.102.0110	iHILIC®-Fusion,HILIC Column,SS,100x2.1mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	100	2.1	1.8	100	1060
110.152.0110	iHILIC®-Fusion,HILIC Column,SS,150x2.1mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	150	2.1	1.8	100	1240
110.053.0110	iHILIC®-Fusion,HILIC Column,SS,50x3mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	50	3	1.8	100	1000
110.103.0110	iHILIC®-Fusion,HILIC Column,SS,100x3mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	100	3	1.8	100	1180
110.153.0110	iHILIC®-Fusion,HILIC Column,SS,150x3mm,1.8 μm ,100A	HILIC	UHPLC	SS	Parker	150	3	1.8	100	1380
111.122.0110	iHILIC®-Fusion,Guard Column,SS,20x2.1mm,1.8 μm ,100A,1pk	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	530
111.222.0110	iHILIC®-Fusion,Guard Column,SS,20x2.1mm,1.8 μm ,100A,2pk+coupler*	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	1240

iHILIC®-Fusion - UHPLC HILIC Column in PEEK-SS **

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(\AA)	2026 Price (USD)
140.051.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x1mm,1.8 μm ,100A	HILIC	UHPLC	PEEK-SS	Parker	50	1	1.8	100	1420
140.101.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x1mm,1.8 μm ,100A	HILIC	UHPLC	PEEK-SS	Parker	100	1	1.8	100	1530
140.151.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x1mm,1.8 μm ,100A	HILIC	UHPLC	PEEK-SS	Parker	150	1	1.8	100	1690
140.052.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x2.1mm,1.8 μm ,100A	HILIC	UHPLC	PEEK-SS	Parker	50	2.1	1.8	100	1560
140.102.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x2.1mm,1.8 μm ,100A	HILIC	UHPLC	PEEK-SS	Parker	100	2.1	1.8	100	1660
140.152.0110	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x2.1mm,1.8 μm ,100A	HILIC	UHPLC	PEEK-SS	Parker	150	2.1	1.8	100	1760

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware


PEEK-SS - PEEK-lined stainless steel column hardware



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

iHILIC®-Fusion HPLC - PEEK



Charge Modulated Hydroxyethyl Amide HILIC columns

- UHPLC and HPLC
- Silica based, 1.8, 3.5, and 5 μm
- Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
- High efficiency and ultra-low column bleeding

iHILIC®-Fusion - HPLC HILIC Column in PEEK

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(A)	2026 Price (USD)
110.022.0310	iHILIC®-Fusion,HILIC Column,PEEK,20x2.1mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	3.5	100	780
110.032.0310	iHILIC®-Fusion,HILIC Column,PEEK,30x2.1mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	3.5	100	820
110.052.0310	iHILIC®-Fusion,HILIC Column,PEEK,50x2.1mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	3.5	100	880
110.102.0310	iHILIC®-Fusion,HILIC Column,PEEK,100x2.1mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	3.5	100	950
110.152.0310	iHILIC®-Fusion,HILIC Column,PEEK,150x2.1mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	3.5	100	1220
110.054.0310	iHILIC®-Fusion,HILIC Column,PEEK,50x4.6mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	3.5	100	970
110.104.0310	iHILIC®-Fusion,HILIC Column,PEEK,100x4.6mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	3.5	100	1070
110.154.0310	iHILIC®-Fusion,HILIC Column,PEEK,150x4.6mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	3.5	100	1370
110.254.0310	iHILIC®-Fusion,HILIC Column,PEEK,250x4.6mm,3.5μm,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	3.5	100	1680
110.022.0510	iHILIC®-Fusion,HILIC Column,PEEK,20x2.1mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	770
110.032.0510	iHILIC®-Fusion,HILIC Column,PEEK,30x2.1mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	100	800
110.052.0510	iHILIC®-Fusion,HILIC Column,PEEK,50x2.1mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	100	820
110.102.0510	iHILIC®-Fusion,HILIC Column,PEEK,100x2.1mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	100	930
110.152.0510	iHILIC®-Fusion,HILIC Column,PEEK,150x2.1mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	100	180
110.054.0510	iHILIC®-Fusion,HILIC Column,PEEK,50x4.6mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	100	930
110.104.0510	iHILIC®-Fusion,HILIC Column,PEEK,100x4.6mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	100	1040
110.154.0510	iHILIC®-Fusion,HILIC Column,PEEK,150x4.6mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	100	1280
110.254.0510	iHILIC®-Fusion,HILIC Column,PEEK,250x4.6mm,5μm,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	100	1570
111.122.0510	iHILIC®-Fusion,Guard Column,PEEK,20x2.1mm,5μm,100Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	460
111.322.0510	iHILIC®-Fusion,Guard Column,PEEK,20x2.1mm,5μm,100Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	1240

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden


PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



iHILIC®-Fusion HPLC in Stainless Steel



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

Charge Modulated Hydroxyethyl Amide HILIC columns

- UHPLC and HPLC
- Silica based, 1.8, 3.5, and 5 µm
- Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
- High efficiency and ultra-low column bleeding

iHILIC®-Fusion - HPLC HILIC Column in SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	2026 Price (USD)
114.032.0310	iHILIC®-Fusion,HILIC Column,SS,30x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	30	2.1	3.5	100	840
114.052.0310	iHILIC®-Fusion,HILIC Column,SS,50x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	2.1	3.5	100	910
114.102.0310	iHILIC®-Fusion,HILIC Column,SS,100x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	2.1	3.5	100	980
114.152.0310	iHILIC®-Fusion,HILIC Column,SS,150x2.1mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	2.1	3.5	100	1150
114.053.0310	iHILIC®-Fusion,HILIC Column,SS,50x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	3	3.5	100	910
114.103.0310	iHILIC®-Fusion,HILIC Column,SS,100x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	3	3.5	100	1000
114.153.0310	iHILIC®-Fusion,HILIC Column,SS,150x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	3	3.5	100	1200
114.253.0310	iHILIC®-Fusion,HILIC Column,SS,250x3mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	3	3.5	100	1510
114.054.0310	iHILIC®-Fusion,HILIC Column,SS,50x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	50	4.6	3.5	100	960
114.104.0310	iHILIC®-Fusion,HILIC Column,SS,100x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	100	4.6	3.5	100	1090
114.154.0310	iHILIC®-Fusion,HILIC Column,SS,150x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	150	4.6	3.5	100	1400
114.254.0310	iHILIC®-Fusion,HILIC Column,SS,250x4.6mm,3.5µm,100Å	HILIC	HPLC	SS	Parker	250	4.6	3.5	100	1820
114.032.0510	iHILIC®-Fusion,HILIC Column,SS,30x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	30	2.1	5	100	840
114.052.0510	iHILIC®-Fusion,HILIC Column,SS,50x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	2.1	5	100	890
114.102.0510	iHILIC®-Fusion,HILIC Column,SS,100x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	2.1	5	100	980
114.152.0510	iHILIC®-Fusion,HILIC Column,SS,150x2.1mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	2.1	5	100	1090
114.053.0510	iHILIC®-Fusion,HILIC Column,SS,50x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	3	5	100	870
114.103.0510	iHILIC®-Fusion,HILIC Column,SS,100x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	3	5	100	980
114.153.0510	iHILIC®-Fusion,HILIC Column,SS,150x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	3	5	100	1150
114.253.0510	iHILIC®-Fusion,HILIC Column,SS,250x3mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	3	5	100	1440
114.054.0510	iHILIC®-Fusion,HILIC Column,SS,50x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	50	4.6	5	100	930
114.104.0510	iHILIC®-Fusion,HILIC Column,SS,100x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	100	4.6	5	100	1040
114.154.0510	iHILIC®-Fusion,HILIC Column,SS,150x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	150	4.6	5	100	1310
114.254.0510	iHILIC®-Fusion,HILIC Column,SS,250x4.6mm,5µm,100Å	HILIC	HPLC	SS	Parker	250	4.6	5	100	1710

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden


PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



iHILIC®-Fusion PEEK-Lined SS



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

Charge Modulated Hydroxyethyl Amide HILIC columns

- UHPLC and HPLC
- Silica based, 1.8, 3.5, and 5 µm
- Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
- High efficiency and ultra-low column bleeding

iHILIC®-Fusion - HPLC HILIC Column in PEEK-SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(µm)	Pore(Å)	2026 Price (USD)
140.051.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	1	3.5	100	1250
140.101.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	1	3.5	100	1370
140.151.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	1	3.5	100	1520
140.052.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	2.1	3.5	100	1250
140.102.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	2.1	3.5	100	1370
140.152.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	2.1	3.5	100	1520
140.252.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,250x2.1mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	250	2.1	3.5	100	1680
140.054.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,50x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	50	4.6	3.5	100	1550
140.104.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,100x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	100	4.6	3.5	100	1680
140.154.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,150x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	150	4.6	3.5	100	1800
140.254.0310	iHILIC®-Fusion,HILIC Column,PEEK-SS,250x4.6mm,3.5µm,100Å	HILIC	HPLC	PEEK-SS	Parker	250	4.6	3.5	100	2060

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware


PEEK-SS - PEEK-lined stainless steel column hardware



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

iHILIC®-Fusion(+) UHPLC



- Charge Modulated Hydroxyethyl Amide HILIC columns
- UHPLC and HPLC with enhanced retention for anions
 - Silica based, 1.8, 3.5, and 5 μ m
 - Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
 - High efficiency and ultra-low column bleeding

iHILIC®-Fusion(+)- UHPLC HILIC Column in SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μ m)	Pore(Å)	2026 Price (USD)
100.022.0110	iHILIC®-Fusion(+),HILIC Column,SS,20x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	880
100.032.0110	iHILIC®-Fusion(+),HILIC Column,SS,30x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	30	2.1	1.8	100	890
100.052.0110	iHILIC®-Fusion(+),HILIC Column,SS,50x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	50	2.1	1.8	100	980
100.102.0110	iHILIC®-Fusion(+),HILIC Column,SS,100x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	100	2.1	1.8	100	1060
100.152.0110	iHILIC®-Fusion(+),HILIC Column,SS,150x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	150	2.1	1.8	100	1240
100.053.0110	iHILIC®-Fusion(+),HILIC Column,SS,50x3mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	50	3	1.8	100	1000
100.103.0110	iHILIC®-Fusion(+),HILIC Column,SS,100x3mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	100	3	1.8	100	1180
100.153.0110	iHILIC®-Fusion(+),HILIC Column,SS,150x3mm,1.8 μ m,100Å	HILIC	UHPLC	SS	Parker	150	3	1.8	100	1380
101.122.0110	iHILIC®-Fusion(+),Guard Column,SS,20x2.1mm,1.8 μ m,100Å,1pk	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	530
101.222.0110	iHILIC®-Fusion(+),Guard Column,SS,20x2.1mm,1.8 μ m,100Å,2pk+coupler*	HILIC	UHPLC	SS	Parker	20	2.1	1.8	100	1240

iHILIC®-Fusion(+)- UHPLC HILIC Column in PEEK-SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μ m)	Pore(Å)	2026 Price (USD)
150.051.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x1mm,1.8 μ m,100Å	HILIC	UHPLC	PEEK-SS	Parker	50	1	1.8	100	1420
150.101.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x1mm,1.8 μ m,100Å	HILIC	UHPLC	PEEK-SS	Parker	100	1	1.8	100	1530
150.151.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x1mm,1.8 μ m,100Å	HILIC	UHPLC	PEEK-SS	Parker	150	1	1.8	100	1690
150.052.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	PEEK-SS	Parker	50	2.1	1.8	100	1560
150.102.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	PEEK-SS	Parker	100	2.1	1.8	100	1660
150.152.0110	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x2.1mm,1.8 μ m,100Å	HILIC	UHPLC	PEEK-SS	Parker	150	2.1	1.8	100	1760

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware


PEEK-SS - PEEK-lined stainless steel column hardware



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

iHILIC®-Fusion(+) HPLC - PEEK



- Charge Modulated Hydroxyethyl Amide HILIC columns
- UHPLC and HPLC with enhanced retention for anions
 - Silica based, 1.8, 3.5, and 5 μm
 - Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
 - High efficiency and ultra-low column bleeding

iHILIC®-Fusion(+)- HPLC HILIC Column in PEEK

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(A)	2026 Price (USD)
100.022.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,20x2.1mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	3.5	100	780
100.032.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,30x2.1mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	3.5	100	820
100.052.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,50x2.1mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	3.5	100	880
100.102.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,100x2.1mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	3.5	100	950
100.152.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,150x2.1mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	3.5	100	1220
100.054.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,50x4.6mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	3.5	100	970
100.104.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,100x4.6mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	3.5	100	1070
100.154.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,150x4.6mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	3.5	100	1370
100.254.0310	iHILIC®-Fusion(+),HILIC Column,PEEK,250x4.6mm,3.5 μm ,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	3.5	100	1670
100.022.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,20x2.1mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	770
100.032.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,30x2.1mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	100	800
100.052.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,50x2.1mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	100	820
100.102.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,100x2.1mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	100	930
100.152.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,150x2.1mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	100	1180
100.054.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,50x4.6mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	100	930
100.104.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,100x4.6mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	100	1040
100.154.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,150x4.6mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	100	1280
100.254.0510	iHILIC®-Fusion(+),HILIC Column,PEEK,250x4.6mm,5 μm ,100Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	100	1570
101.122.0510	iHILIC®-Fusion(+),Guard Column,PEEK,20x2.1mm,5 μm ,100Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	460
101.322.0510	iHILIC®-Fusion(+),Guard Column,PEEK,20x2.1mm,5 μm ,100Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	100	1240

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware


PEEK-SS - PEEK-lined stainless steel column hardware



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

iHILIC®-Fusion(+) HPLC in Stainless Steel



- Charge Modulated Hydroxyethyl Amide HILIC columns
- UHPLC and HPLC with enhanced retention for anions
 - Silica based, 1.8, 3.5, and 5 μm
 - Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
 - High efficiency and ultra-low column bleeding

iHILIC®-Fusion(+)- HPLC HILIC Column in SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(\AA)	2026 Price (USD)
104.032.0310	iHILIC®-Fusion(+),HILIC Column,SS,30x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	30	2.1	3.5	100	840
104.052.0310	iHILIC®-Fusion(+),HILIC Column,SS,50x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	50	2.1	3.5	100	910
104.102.0310	iHILIC®-Fusion(+),HILIC Column,SS,100x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	100	2.1	3.5	100	980
104.152.0310	iHILIC®-Fusion(+),HILIC Column,SS,150x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	150	2.1	3.5	100	1150
104.053.0310	iHILIC®-Fusion(+),HILIC Column,SS,50x3mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	50	3	3.5	100	910
104.103.0310	iHILIC®-Fusion(+),HILIC Column,SS,100x3mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	100	3	3.5	100	100
104.153.0310	iHILIC®-Fusion(+),HILIC Column,SS,150x3mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	150	3	3.5	100	1200
104.253.0310	iHILIC®-Fusion(+),HILIC Column,SS,250x3mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	250	3	3.5	100	1510
104.054.0310	iHILIC®-Fusion(+),HILIC Column,SS,50x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	50	4.6	3.5	100	970
104.104.0310	iHILIC®-Fusion(+),HILIC Column,SS,100x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	100	4.6	3.5	100	1090
104.154.0310	iHILIC®-Fusion(+),HILIC Column,SS,150x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	150	4.6	3.5	100	1400
104.254.0310	iHILIC®-Fusion(+),HILIC Column,SS,250x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	SS	Parker	250	4.6	3.5	100	1820
104.032.0510	iHILIC®-Fusion(+),HILIC Column,SS,30x2.1mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	30	2.1	5	100	840
104.052.0510	iHILIC®-Fusion(+),HILIC Column,SS,50x2.1mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	50	2.1	5	100	990
104.102.0510	iHILIC®-Fusion(+),HILIC Column,SS,100x2.1mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	100	2.1	5	100	980
104.152.0510	iHILIC®-Fusion(+),HILIC Column,SS,150x2.1mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	150	2.1	5	100	1090
104.053.0510	iHILIC®-Fusion(+),HILIC Column,SS,50x3mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	50	3	5	100	880
104.103.0510	iHILIC®-Fusion(+),HILIC Column,SS,100x3mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	100	3	5	100	980
104.153.0510	iHILIC®-Fusion(+),HILIC Column,SS,150x3mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	150	3	5	100	1150
104.253.0510	iHILIC®-Fusion(+),HILIC Column,SS,250x3mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	250	3	5	100	1440
104.054.0510	iHILIC®-Fusion(+),HILIC Column,SS,50x4.6mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	50	4.6	5	100	930
104.104.0510	iHILIC®-Fusion(+),HILIC Column,SS,100x4.6mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	100	4.6	5	100	1040
104.154.0510	iHILIC®-Fusion(+),HILIC Column,SS,150x4.6mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	150	4.6	5	100	1310
104.254.0510	iHILIC®-Fusion(+),HILIC Column,SS,250x4.6mm,5 μm ,100 \AA	HILIC	HPLC	SS	Parker	250	4.6	5	100	1710

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware


PEEK-SS - PEEK-lined stainless steel column hardware



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

iHILIC®-Fusion(+) PEEK-Lined SS



- Charge Modulated Hydroxyethyl Amide HILIC columns
- UHPLC and HPLC with enhanced retention for anions
 - Silica based, 1.8, 3.5, and 5 μm
 - Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
 - High efficiency and ultra-low column bleeding

iHILIC®-Fusion(+)- HPLC HILIC Column in PEEK-SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(\AA)	2026 Price (USD)
150.051.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x1mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	50	1	3.5	100	1370
150.101.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x1mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	100	1	3.5	100	1440
150.151.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x1mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	150	1	3.5	100	1550
150.052.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	50	2.1	3.5	100	1130
150.102.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	100	2.1	3.5	100	1240
150.152.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	150	2.1	3.5	100	1400
150.252.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,250x2.1mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	250	2.1	3.5	100	1670
150.054.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,50x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	50	4.6	3.5	100	180
150.104.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,100x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	100	4.6	3.5	100	1660
150.154.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,150x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	150	4.6	3.5	100	1780
150.254.0310	iHILIC®-Fusion(+),HILIC Column,PEEK-SS,250x4.6mm,3.5 μm ,100 \AA	HILIC	HPLC	PEEK-SS	Parker	250	4.6	3.5	100	2050

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden


PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



iHILIC® Fusion(P)



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

Charge Modulated Amide HILIC columns

- Polymer based, 5 μm
- Available in PEEK, stainless steel (SS), or PEEK-lined SS (PEEK-SS)
- Stable at basic pH with range pH 1-10
- Ultra-low column bleeding

iHILIC®-Fusion(P) - HPLC HILIC Column in PEEK

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(Å)	2026 Price (USD)
130.022.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,20x2.1mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	890
130.032.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,30x2.1mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	30	2.1	5	200	950
130.052.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,50x2.1mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	50	2.1	5	200	980
130.102.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,100x2.1mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	100	2.1	5	200	1090
130.152.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,150x2.1mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	150	2.1	5	200	1300
130.054.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,50x4.6mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	50	4.6	5	200	1120
130.104.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,100x4.6mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	100	4.6	5	200	1240
130.154.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,150x4.6mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	150	4.6	5	200	1490
130.254.0520	iHILIC®-Fusion(P),HILIC Column,PEEK,250x4.6mm,5μm,200Å	HILIC	HPLC	PEEK	Parker	250	4.6	5	200	360
131.122.0520	iHILIC®-Fusion(P),Guard Column,PEEK,20x2.1mm,5μm,200Å,1pk	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	490
131.322.0520	iHILIC®-Fusion(P),Guard Column,PEEK,20x2.1mm,5μm,200Å,3pk+coupler*	HILIC	HPLC	PEEK	Parker	20	2.1	5	200	1330

iHILIC®-Fusion(P) - HPLC HILIC Column in SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(Å)	2026 Price (USD)
134.053.0520	iHILIC®-Fusion(P),HILIC Column,SS,50x3mm,5μm,200Å	HILIC	HPLC	SS	Parker	50	3	5	200	1040
134.103.0520	iHILIC®-Fusion(P),HILIC Column,SS,100x3mm,5μm,200Å	HILIC	HPLC	SS	Parker	100	3	5	200	1200
134.153.0520	iHILIC®-Fusion(P),HILIC Column,SS,150x3mm,5μm,200Å	HILIC	HPLC	SS	Parker	150	3	5	200	1420

iHILIC®-Fusion(P) - HPLC HILIC Column in PEEK-SS

P/N	Product Name	Phase	Type	Hardware	Port	Length(mm)	ID(mm)	Dp(μm)	Pore(Å)	2026 Price (USD)
170.051.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,50x1mm,5μm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	1	5	200	1380
170.101.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,100x1mm,5μm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	1	5	200	1470
170.151.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,150x1mm,5μm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	1	5	200	1620
170.052.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,50x2.1mm,5μm,200Å	HILIC	HPLC	PEEK-SS	Parker	50	2.1	5	200	1260
170.102.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,100x2.1mm,5μm,200Å	HILIC	HPLC	PEEK-SS	Parker	100	2.1	5	200	1380
170.152.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,150x2.1mm,5μm,200Å	HILIC	HPLC	PEEK-SS	Parker	150	2.1	5	200	1530
170.252.0520	iHILIC®-Fusion(P),HILIC Column,PEEK-SS,250x2.1mm,5μm,200Å	HILIC	HPLC	PEEK-SS	Parker	250	2.1	5	200	1760

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware



2026 HILICON Product Pricelist

**PolyLC Inc. is the exclusive authorized distributor of HILICON® chromatography products in the United States.

iSPE®-HILIC

To be used for the purification of glycopeptides, glycans, PSP toxins, and many other polar compounds



iSPE®-HILIC - SPE Cartridge and 96-well Plate for HILIC

P/N	Product Name	Phase	Type	Units/Box	Hardware	Type	Size (mL)	Material (mg)	Dp(µm)	2026 Price (USD)
200.001.0025	iSPE®-HILIC SPE Cartridge,1mL,25mg,50µm particle,100pk	HILIC	SPE	100	PE	Cartridge	1	25	50	590
200.001.0050	iSPE®-HILIC SPE Cartridge,1mL,50mg,50µm particle,100pk	HILIC	SPE	100	PE	Cartridge	1	50	50	630
200.001.0100	iSPE®-HILIC SPE Cartridge,1mL,100mg,50µm particle,100pk	HILIC	SPE	100	PE	Cartridge	1	100	50	720
200.051.0025	iSPE®-HILIC SPE Cartridge,1mL,25mg,50µm particle,5pk	HILIC	SPE	5	PE	Cartridge	1	25	50	40
200.051.0050	iSPE®-HILIC SPE Cartridge,1mL,50mg,50µm particle,5pk	HILIC	SPE	5	PE	Cartridge	1	50	50	45
200.051.0100	iSPE®-HILIC SPE Cartridge,1mL,100mg,50µm particle,5pk	HILIC	SPE	5	PE	Cartridge	1	100	50	50
200.003.0100	iSPE®-HILIC SPE Cartridge,3mL,100mg,50µm particle,50pk	HILIC	SPE	50	PE	Cartridge	3	100	50	360
200.003.0200	iSPE®-HILIC SPE Cartridge,3mL,200mg,50µm particle,50pk	HILIC	SPE	50	PE	Cartridge	3	200	50	480
200.003.0500	iSPE®-HILIC SPE Cartridge,3mL,500mg,50µm particle,50pk	HILIC	SPE	50	PE	Cartridge	3	500	50	780
200.006.0500	iSPE®-HILIC SPE Cartridge,6mL,500mg,50µm particle,25pk	HILIC	SPE	25	PE	Cartridge	6	500	50	460
200.006.1000	iSPE®-HILIC SPE Cartridge,6mL,1 g,50µm particle,25pk	HILIC	SPE	25	PE	Cartridge	6	1000	50	740
200.006.2000	iSPE®-HILIC SPE Cartridge,6mL,2 g,50µm particle,25pk	HILIC	SPE	25	PE	Cartridge	6	2000	50	1300
200.096.0025	iSPE®-HILIC SPE Cartridge,96-well,25mg,50µm particle,1pk	HILIC	SPE	1	PE	Plate	1x96	25x96	50	580
200.096.0050	iSPE®-HILIC SPE Cartridge,96-well,50mg,50µm particle,1pk	HILIC	SPE	1	PE	Plate	1x96	50x96	50	630
200.096.0100	iSPE®-HILIC SPE Cartridge,96-well,100mg,50µm particle,1pk	HILIC	SPE	1	PE	Plate	1x96	100x96	50	720
200.096.0200	iSPE®-HILIC SPE Cartridge,96-well,200mg,50µm particle,1pk	HILIC	SPE	1	PE	Plate	1x96	200x96	50	930

* Including one UHPLC column coupler

** HS Code: 9027.90.8950, Parts and Accessories for Chromatography

*** Country of Origin: Sweden

PEEK - Poly(ether ether ketone) engineering plastic column hardware

SS - Stainless steel column hardware

PEEK-SS - PEEK-lined stainless steel column hardware

